INNOVATIVE APPROACH FOR DERMATOLOGICAL DIAGNOSIS: DISTINCT BASED MULTI-MODAL FUSION OF AI

J. Albert Irudaya Raj¹*, S. Sheeja²

ABSTRACT

This Paper Presents a novel approach for diagnosing various skin problems (Eczema, Psoriasis, Acne, Fungal infections, Rosacea) using dermoscopic images. The real challenges are the accurate level of prediction on skin disease is in poor condition. The traditional diagnosing methods won't give accurate result. With the use of Conventional Neural Network algorithm various image data sets taken as input and go for deep analysis with multi-modal techniques such as clinical images, patient history, and laboratory results and etc. Especially digital dermatology has been evolved for validating the dermoscopic images and produce accurate assessment, prediction of skin images. We discuss multimodal fusion of AI with Dermatology for future accurate diagnosing report, prediction of Skin lesions and diseases.

Keywords: Artificial Intelligence, Conventional Neural Network(CNN), Deep Learning, Dermatology, Multi Modal Fusion, Data Integration, Feature Extraction, Classification.

I. INTRODUCTION

As in the present world, the health care sector also has advancement in digitally. Especially in the diagnosis of skin care diseases, clinical Dermatology to digital Dermatology's in many aspects such as detecting basic skin diseases like Eczema, Acne, Fungal infections, Rosacea, Psoriasis and etc[1]. Artificial Intelligence can play a vital role in digital dermatology in quick finding level of skin infection, analyzing digital images, Report generation, Medicine Prescription for ordinary problems. [2]

But in the above method is categorized into Single Modal technology based on all clinical images taken for digital analysis [3]. Here the AI will only analysis the input of clinical images, so that prediction of result is limited based on limited clinical images.

II. RELATED WORK

For analyzing the dermatological disease, first we need to train the various algorithms with the data set. [4]. There are two kinds of dataset. One of the dataset is the Original image capture through clinicians and other images taken from web. The following are some of the web data sets which having number of skin disease images such as ISIC (International Skin Imaging Collaboration), ham10000, An Atlas of Clinical Dermatology, DermNet, VisualDx, DermExpert and etc[5].

The following are the some skin disease types such as Rosacea, Eczema, and Acne. These Skin disease images were taken for image analysis using Conventional Neural Network (CNN) algorithm.

2.1. Rosacea Skin disease





Fig.1. Image of Rosacea Skin affected face

Karpagam Academy of Higher Education, Coimbatore, Tamil Nadu, India

^{1,2}Department of Computer Science,

^{*} Corresponding Author

In the above Rosacea skin disease, while analyzing the skin image using AI, there are some issues arise in prediction of result because the trading of data set is only Single Modal type.

2.2 ECZEMA



Fig.2 Image of Eczema Skin affected Hand

Eczema skin disease is one of the common skin problem will appear due to heat. Its symptoms are cracked skin in red color [6]. Other symptoms are fluid comes from the affected portion of the skin, when the skin disease become worse.

In these cases, the AI CNN algorithm has used to analyze the patches of skin, analyze pixel by pixel of the given image data set by producing the level of issues in very quick report. Even though we achieve quick report of single modal type, it is also a narrow report not considering the various factors of the eczema skin affected patient.

2.3ACNE

In these cases, the AI CNN algorithm has used to analyze the patches of skin, analyze pixel by pixel of the given image data set by producing the level of issues in very quick report. Even though we achieve quick report of single modal type, it is also a narrow report not considering the various factors of the eczema skin affected





Fig.3: Image of Acne Skin Disease

Another common problem of skin disease, most of the people affected is Acne skin disease. This let to worst look of face, increasing negative mind thoughts about their beauty and etc. AI based CNN algorithm used to understand and analysis patient's different type of skin lesions [7, 8, and 9].

By this analysis, AI can detectautomatically the level of diseases and suggest prescription, leads to identify the skin disease type, level of disease, and suggest what treatment can do. The trained algorithm CNN and Deep learning algorithm will predict the disease and give automatic solution [10, 11, and 12]. As today we are having Digital AI Apps (Digital Dermatological & Tele-Dermatological) where patient they scan the skin part to be checked. Here lot of problems identified by AI algorithm, analyzing the accurate level of the given input images. If the input images are not in the standard condition, AI won't detect and predict the accurate values. Hence, we need to follow standard input image, then AI will prediction of the various report which helpful to both patient and dermatologists.

The following table dataset is used to train the AI for comparison of Input Image and prediction and report generation for any suggestion:

Dataset	No of	Prediction
Name	Trained	
	Images	
Dermnet from	312 Acne,	Quick
Kaggle	Rosacea	Analysing and
	Images	predicting
		prescriptions
		by similarity
		Skin Lesions.
Dermnet from	Eczema	Comparing
Kaggle		Skin Lesions

HAM10000_images	collection	Multi-source
	of 10000	dermatoscopic
	multi-	images of
	source	common
		pigmented
		skin lesions
Dermoscopic	>10000	Melanoma
Images	Images	Versus
		Melanocytic
		nevi

Table.1 Dataset & Prediction
III. METHODOLOGY

While using Single Modal concept of Artificial Intelligence analyzing various Images through different layers of Neural Network by the Input, Hidden and Output layer in analyzing the type and output result of skin Disease[13,14]. But the prediction is not having great accuracy. The following diagram using the general Neural Network Layers.




Fig.4 General Neural Network Layers

3.1 In a regular Neural Network there are three types of layers:

To increase the Single Modal concept in AI dremotology, we involve the CNN algorithm to easily identify the type of skin problem and prediction of various problems [15, 16]..




Fig.5 CNN Network Layers

The above Acne image is involved and extract image features by filters and separated into amatrix format. Then the next step is rectified linear map with setting non negative value to zero.

$$R(Z) = max(0, Z)$$

After pooled convolution filter process is over, we need to arrange the filter images in a matrix arrangement known as flattened. At last the final filtered extraction of depth of accurate image analysis result is found.

IV. RESULT ANALYSIS OF MULTI MODAL FUSION AI WITH CNN

The following are the various key features in collection of data and preprocessing feature extraction from different modalities, multi-modal fusion, and classification. To achieve distinct multi-modal we collect clinical images, patient history, and laboratory results from electronic health records (EHRs) and preprocess them to ensure compatibility and consistency [17]. Next, we extract relevant features from each data modality using specialized techniques tailored to the nature of the data. These features are then fused using a distinct-based approach, which preserves the unique characteristics of each modality while capturing complementary information. Finally, we train a machine learning classifier on the fused feature representation to perform skin disease diagnosis.




Fig.6 Multi modal fusion of AI Dermatology Architecture

In the above diagram (Multi modal fusion of AI
Dermatology Architecture) A deep neural network was
developed with two extraction filter, one of them is
information from image data from the Original collection
through Mobile Application or Clinical Medical Tools and
another metadata from the Public dataset domain. In this
multimodal fusion, we need to train on the public dataset
with Distinct Modalities for most accurate prediction and




Fig.7 Analysis after using Multi modal fusion

with CNN

So that we use multimodal fusion module effectively cross check and combine image features and Meta features for analyzing and reproducing the report as quick and more accuracy of predictive results.

V. CONCLUSION

For achieving the new standards in analyzing the skin lesions AI has to upgrade with Multi Modal Fusion technology by get together Skin Lesions input, Patient Other information (age, skin type, place of living) and International Skin Lesions data set for related comparison. With this we can achieve quick report generation and accuracy level will be high.

REFERENCES

- [1] Abhishek De1, Aarti Sarda, Sachi Gupta, "Use of artificial intelligence in dermatology", Indian journal of Dermatology | Volume: 65 | Issue: 5 | Page: 352—357 | Year: 2020.
- [2] Huynh, Q.T.; Nguyen, P.H.; Le, H.X.; Ngo, L.T.; Trinh, N.-T.; Tran, M.T.-T.; Nguyen, H.T.; Vu, N.T.; Nguyen, A.T.; Suda, K.; et al. Automatic Acne Object Detection and Acne Severity Grading Using Smartphone Images and Artificial Intelligence. Diagnostics 2022, 12, 1879. https://doi.org/10.3390/diagnostics12081879.
- [3] Albert T. Young1,2, Mulin Xiong3, Jacob Pfau1,2, Michael J. Keiser4 and Maria L. Wei, Artificial Intelligence in Dermatology: A Primer Journal of Investigative Dermatology (2020) 140, 1504e1512; doi:10.1016/j.jid.2020.02.026
- [4] Brinker TJ, Hekler A, Enk AH, Berking C, Haferkamp S, Hauschild A, et al. Deep neural networks are superior to dermatologists in melanoma image classification. Eur J Cancer 2019a;119:11e7
- [5] Xiong M, Pfau J, Young AT, Wei ML. Artificial

intelligence in teledermatology. Curr Dermatol Rep 2019;8:85e90. Yu WY, Wei ML. Suction blisters. JAMA Dermatol 2019;155:237.

- [6] A. Martorell a,*, A. Martin-Gorgojo b, E. Ríos-Vinuela ~ c, J.M. Rueda-Carneroa, F. Alfageme d, R. Taberner e "Artificial intelligence in dermatology: A threat or an opportunity" Published by Elsevier Espana, ~ S.L.U. on behalf of AEDV Actas Dermo-SifiliográficasVolume 113, I s s u e 1, J a n u a r y 2 0 2 2, P a g e s 3 0 46https://doi.org/10.1016/j.ad.2021.07.003
- [7] Li, Z.; Koban, K.C.; Schenck, T.L.; Giunta, R.E.; Li, Q.; Sun, Y. Artificial Intelligence in Dermatology Image Analysis: Current Developments and Future Trends. J. Clin. M e d . 2 0 2 2 , 1 1 , 6 8 2 6 . h t t p s : //doi.org/10.3390/jcm11226826
- [8] Hogarty, D.T.; Su, J.C.; Phan, K.; Attia, M.; Hossny, M.; Nahavandi, S.; Lenane, P.; Moloney, F.J.; Yazdabadi, A. Artificial Intelligence in Dermatology—Where We Are and the Way to the Future: A Review. Am. J. Clin. Dermatol. 2020, 21, 41–47
- [9] Guimarães, P.; Batista, A.; Zieger, M.; Kaatz, M.; Koenig, K. Artificial Intelligence in Multiphoton Tomography: Atopic Dermatitis Diagnosis. Sci. Rep. 2020, 10, 7968. [CrossRef] [PubMed]
- [10] A. Gomolin, E. Netchiporouk, R. Gniadecki, I.V. Litvinov "Artificial intelligence applications in dermatology: Where do we stand?" Front Med (Lausanne), 7 (2020), p. 100, 10.3389/fmed.2020.00100 PMID: 32296706; PMCID: PMC7136423
- [11] D.H. Murphree, P. Puri, H. Shamim, S.A. Bezalel, L.A. Drage, M. Wang, et al. Deep learning for dermatologists: Part I fundamental concepts J Am Acad Dermatol, 17 (2020), 10.1016/j.jaad.2020.05.056 S0190–962230921-X. Epub ahead of print. PMID: 32434009; PMCID:

PMC7669702

- [12] A. Wells, S. Patel, J.B. Lee, K. Motaparthi "Artificial intelligence in dermatopathology: Diagnosis, education, and research" 2021 John Wiley & Sons A/S. Published by John Wiley & Sons Ltd.1061.
- [13] Wells A, Patel S, Lee JB, Motaparthi K. Artificialintelligence in dermatopathology: diagnosis, educa-tion, and research. J Cutan Pathol. 2021;48:1-8, http://dx.doi.org/10.1111/cup.13954.5.
- [14] Murphree DH, Puri P, Shamim H, Bezalel SA, Drage LA, Wang M, et al. Deep learning for dermatologists: partifundamental concepts. J Am Acad Dermatol. 2020;17,http://dx.doi.org/10.1016/j.jaad.2020.05.056. S0190-9622(20)30921-X
- [15] Puri P, Comfere N, Drage LA, Shamim H, Bezalel SA, Pittelkow MR, et al. Deep learning for dermatologists:part II. Current applications. J Am Acad Dermatol 2020, PMID: 32428608; PMCID: PMC7669658.http://dx.doi.org/10.1016/j.jaad.2020.05.053. S0190-9622(20)30918-X.
- [16] Brittany Dulmage1,5, Kyle Tegtmeyer2,5, Michael Z. Zhang2,3, Maria Colavincenzo2 and Shuai Xu2,4 "A Pointf-Care, Real-Time Artificial Intelligence System to Support Clinician Diagnosis of a Wide Range of Skin Diseases" Journal of Investigative Dermatology (2021) 141, 1230e1235; doi:10.1016/j.jid.2020.08.027
- [17] Brinker TJ, Hekler A, Enk AH, Klode J, Hauschild A, Berking C, et al. A convolutional neural network trained with dermoscopic images performed on par with 145 dermatologists in a clinical melanoma image classification task. Eur J Cancer 2019c;111:148e54